ELSEVIER

Analytica Chimica Acta 504 (2004) 335–337

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

# Author Index

Aboul-Enein, H.Y., see Hefnawy, M.M. 291
Akram, M.
—, Stuart, M.C. and Wong, D.K.Y.
Direct application strategy to immobilise a thioctic acid self-assembled monolayer on a gold electrode 243
Alexander, C., see Kirsch, N. 63
Anfossi, L., see Baggiani, C. 43
Araújo, A.N., see Jerónimo, P.C.A. 235
Athanasiou, L., see Panderi, I. 299

Baggiani, C.
—, Giraudi, G., Giovannoli, C., Tozzi, C. and Anfossi, L.
Adsorption isotherms of a molecular imprinted polymer prepared in the presence of a polymerisable template. Indirect evidence of the formation of template clusters in the binding site 43
Bauer, C., see Popp, P. 307
Bayer, T., see Pogorelova, S.P. 113
Bocchini, P., see Pozzi, R. 313
Brüggemann, O.
—, Visnjevski, A., Burch, R. and Patel, P.
Selective extraction of antioxidants with molecularly imprinted polymers 81
Bulgarevich, E., see Rachkov, A. 191
Burch, R., see Brüggemann, O. 81

Cabon, J.Y.
— and Louis Madec, C.
Determination of major antimony species in seawater by continuous flow injection hydride generation atomic absorption spectrometry 209
Campbell, J., see Spivak, D.A. 23
Chang, X., see Guo, Y. 319
Chegel, V.I., see Raitman, O.A. 101
Chen, L.-C., see Hsu, H.-C. 141
Chen, R.
—, Smith, B.W., Winefordner, J.D., Tu, M.S., Kertulis, G. and Ma, L.Q.
Arsenic speciation in Chinese brake fern by ion-pair high-performance liquid chromatography–inductively coupled plasma mass spectroscopy 199
Chou, T.C., see Ou, S.H. 163
Citterio, D.
—, Omagari, M., Kawada, T., Sasaki, S.-i., Suzuki, Y. and Suzuki, K.
Chromogenic betaine lariates for highly selective calcium ion sensing in aqueous environment 227
Cook, C.J., see Petcu, M. 73

Davies, M.P.
—, De Biasi, V. and Perrett, D.
Approaches to the rational design of molecularly imprinted polymers 7
Davies, S., see Kirsch, N. 63
De Biasi, V., see Davies, M.P. 7
de-los-Santos-Álvarez, N.
—, Jesús Lobo-Castañón, M., Miranda-Ordieres, A.J. and Tuñón-Blanco, P.
Electrocatalytic adsorptive voltammetry for fludarabine determination in urine 271
Deng, J.-H., see Syu, M.-J. 167
Deveney, B., see Pestov, D. 31
Din, B., see Guo, Y. 319

Foster, G., see Piletsky, S. 123
Fouace, S., see Patel, A. 53

Galletti, G.C., see Pozzi, R. 313
Gerakis, A., see Panderi, I. 299
Giovannoli, C., see Baggiani, C. 43
Giraudi, G., see Baggiani, C. 43
Guo, Y.
—, Din, B., Liu, Y., Chang, X., Meng, S. and Tian, M.
Preconcentration of trace metals with 2-(methylthio)aniline-functionalized XAD-2 and their determination by flame atomic absorption spectrometry 319

Hefnawy, M.M.
— and Aboul-Enein, H.Y.
Fast high-performance liquid chromatographic analysis of mianserin and its metabolites in human plasma using monolithic silica column and solid phase extraction 291
Ho, K.-C., see Hsu, H.-C. 141
Hsu, H.-C.
—, Chen, L.-C. and Ho, K.-C.
Colorimetric detection of morphine in a molecularly imprinted polymer using an aqueous mixture of $Fe^{3+}$ and $[Fe(CN)_6]^{3-}$ 141
Hu, M., see Rachkov, A. 191

Ihara, H., see Sagawa, T. 37
Ikegami, T.
—, Mukawa, T., Nariai, H. and Takeuchi, T.
Bisphenol A-recognition polymers prepared by covalent molecular imprinting 131
Ivnitski, D.
—, Sitdykov, R. and Ivnitski, N.
Hand-held amperometric sensor for saliva and other oral fluid-based diagnostics 265
Ivnitski, N., see Ivnitski, D. 265

Jerónimo, P.C.A.
—, Araújo, A.N., Montenegro, M.C.B.S.M., Satinský, D. and Solich, P.
Colorimetric bismuth determination in pharmaceuticals using a xylenol orange sol–gel sensor coupled to a multicommutated flow system 235
Jesús Lobo-Castañón, M., see de-los-Santos-Álvarez, N. 271

Karim, K., see Piletska, E. 179
Karim, K., see Piletsky, S. 123
Katz, E., see Raitman, O.A. 101
Kawada, T., see Citterio, D. 227
Kazanis, M., see Panderi, I. 299
Kertulis, G., see Chen, R. 199
Khan, A.A.
— and Mezbaul Alam, M.
New and novel organic–inorganic type crystalline 'polypyrrolel/poly-antimonic acid' composite system: preparation, characterization and analytical applications as a cation-exchange material and Hg(II) ion-selective membrane electrode 253

doi:10.1016/S0003-2670(04)00039-X

Kharitonov, A.B., see Pogorelova, S.P. 113
Kharitonov, A.B., see Raitman, O.A. 101
Kirsch, N.
—, Alexander, C., Davies, S. and Whitcombe, M.J.
Sacrificial spacer and non-covalent routes toward the molecular imprinting of "poorly-functionalized" *N*-heterocycles 63
Kubo, H.
—, Player, T.N., Shinoda, S., Tsukube, H., Nariai, H. and Takeuchi, T.
Chiral recognition of octadentate $Na^+$ complex with tetra-armed cyclen by molecularly imprinted polymers 137
Kunitake, T.
— and Lee, S.-W.
Molecular imprinting in ultrathin titania gel films via surface sol–gel process 1

Lee, S.-W., see Kunitake, T. 1
Legge, C., see Piletsky, S. 123
Levit, N., see Pestov, D. 31
Liu, C.C., see Ou, S.H. 163
Liu, J.
—, Zhang, K., Ren, X., Luo, G. and Shen, J.
Bioimprinted protein exhibits glutathione peroxidase activity 185
Liu, Y., see Guo, Y. 319
López-Sánchez, J.F., see Pueyo, M. 217
Louis Madec, C., see Cabon, J.Y. 209
Luo, G., see Liu, J. 185

Ma, L.Q., see Chen, R. 199
Maniscalco, V., see Pestov, D. 31
Massart, D.L., see Zhang, M.H. 279
Matsumoto, T., see Rachkov, A. 191
Mayes, A.G., see Pérez-Moral, N. 15
Meng, S., see Guo, Y. 319
Mezbaul Alam, M., see Khan, A.A. 253
Minoura, N., see Rachkov, A. 191
Miranda-Ordieres, A.J., see de-los-Santos-Álvarez, N. 271
Miyahara, C., see Sagawa, T. 37
Montenegro, M.C.B.S.M., see Jerónimo, P.C.A. 235
Montero, L., see Popp, P. 307
Moreno-Bondi, M.C., see Navarro-Villoslada, F. 149
Mukawa, T., see Ikegami, T. 131

Nariai, H., see Ikegami, T. 131
Nariai, H., see Kubo, H. 137
Navarro-Villoslada, F.
—, Vicente, B.S. and Moreno-Bondi, M.C.
Application of multivariate analysis to the screening of molecularly imprinted polymers for bisphenol A 149
Nian, Y.-M., see Syu, M.-J. 167

Ohkubo, K., see Sagawa, T. 37
Omagari, M., see Citterio, D. 227
Ou, S.H.
—, Wu, M.C., Chou, T.C. and Liu, C.C.
Polyacrylamide gels with electrostatic functional groups for the molecular imprinting of lysozyme 163

Panderi, I.
—, Gerakis, A., Zonaras, V., Athanasiou, L. and Kazanis, M.
Development and validation of a liquid chromatography–electrosprayionization mass spectrometric method for the determination of dexamethasone in sheep plasma 299
Paschke, A., see Popp, P. 307
Patel, A.
—, Fouace, S. and Steinke, J.H.G.
Novel stereoselective molecularly imprinted polymers via ring-opening metathesis polymerisation 53
Patel, P., see Brüggemann, O. 81
Pérez-Moral, N.
— and Mayes, A.G.
Comparative study of imprinted polymer particles prepared by different polymerisation methods 15
Perrett, D., see Davies, M.P. 7
Pestov, D.
—, Levit, N., Maniscalco, V., Deveney, B. and Tepper, G.
Molecular imprinting using monomers with solid-state polymerization 31
Petcu, M.
—, Schaare, P.N. and Cook, C.J.
Propofol-imprinted membranes with potential applications in biosensors 73
Piletska, E.
—, Piletsky, S., Karim, K., Terpetschnig, E. and Turner, A.
Biotin-specific synthetic receptors prepared using molecular imprinting 179
Piletska, E., see Piletsky, S. 123
Piletsky, S.
—, Piletska, E., Karim, K., Foster, G., Legge, C. and Turner, A.
Custom synthesis of molecular imprinted polymers for biotechnological application. Preparation of a polymer selective for tylosin 123
Piletsky, S., see Piletska, E. 179
Pinelli, F., see Pozzi, R. 313
Pizem, H., see Pogorelova, S.P. 113
Player, T.N., see Kubo, H. 137
Pogorelova, S.P.
—, Kharitonov, A.B., Willner, I., Sukenik, C.N., Pizem, H. and Bayer, T.
Development of ion-sensitive field-effect transistor-based sensors for benzylphosphonic acids and thiophenols using molecularly imprinted $TiO_2$ films 113
Popp, P.
—, Bauer, C., Paschke, A. and Montero, L.
Application of a polysiloxane-based extraction method combined with column liquid chromatography to determine polycyclic aromatic hydrocarbons in environmental samples 307
Pozzi, R.
—, Pinelli, F., Bocchini, P. and Galletti, G.C.
Rapid determination of methyl *tert*-butyl ether using dynamic headspace/ion mobility spectrometry 313
Pueyo, M.
—, López-Sánchez, J.F. and Rauret, G.
Assessment of $CaCl_2$, $NaNO_3$ and $NH_4NO_3$ extraction procedures for the study of Cd, Cu, Pb and Zn extractability in contaminated soils 217

Rachkov, A.
—, Hu, M., Bulgarevich, E., Matsumoto, T. and Minoura, N.
Molecularly imprinted polymers prepared in aqueous solution selective for [$Sar^1$,$Ala^8$]angiotensin II 191
Raitman, O.A.
—, Chegel, V.I., Kharitonov, A.B., Zayats, M., Katz, E. and Willner, I.
Analysis of $NAD(P)^+$ and NAD(P)H cofactors by means of imprinted polymers associated with Au surfaces:. A surface plasmon resonance study 101
Rauret, G., see Pueyo, M. 217
Ren, X., see Liu, J. 185

Sagawa, T.
—, Togo, K., Miyahara, C., Ihara, H. and Ohkubo, K.
Rate-enhancement of hydrolysis of long-chain amino acid ester by cross-linked polymers imprinted with a transition-state analogue: evaluation of imprinting effect in kinetic analysis 37
Sangpagai, C., see Suedee, R. 89
Sasaki, S.-i., see Citterio, D. 227
Satinský, D., see Jerónimo, P.C.A. 235
Schaare, P.N., see Petcu, M. 73

Shen, J., see Liu, J. 185
Shinoda, S., see Kubo, H. 137
Simon, R., see Spivak, D.A. 23
Sitdykov, R., see Ivnitski, D. 265
Smith, B.W., see Chen, R. 199
Solich, P., see Jerónimo, P.C.A. 235
Soylak, M., see Tuzen, M. 325
Spivak, D.A.
—, Simon, R. and Campbell, J.
Evidence for shape selectivity in non-covalently imprinted polymers 23
Srichana, T., see Suedee, R. 89
Steinke, J.H.G., see Patel, A. 53
Stuart, M.C., see Akram, M. 243
Suedee, R.
—, Srichana, T., Sangpagai, C., Tunthana, C. and Vanichapichat, P.
Development of trichloroacetic acid sensor based on molecularly imprinted polymer membrane for the screening of complex mixture of haloacetic acids in drinking water 89
Sukenik, C.N., see Pogorelova, S.P. 113
Suzuki, K., see Citterio, D. 227
Suzuki, Y., see Citterio, D. 227
Syu, M.-J.
—, Deng, J.-H. and Nian, Y.-M.
Towards bilirubin imprinted poly(methacrylic acid-co-ethylene glycol dimethylacrylate) for the specific binding of α-bilirubin 167

Takeuchi, T., see Ikegami, T. 131
Takeuchi, T., see Kubo, H. 137
Tepper, G., see Pestov, D. 31
Terpetschnig, E., see Piletska, E. 179
Tian, M., see Guo, Y. 319
Togo, K., see Sagawa, T. 37
Tozzi, C., see Baggiani, C. 43
Tsukube, H., see Kubo, H. 137
Tu, M.S., see Chen, R. 199
Tuñón-Blanco, P., see de-los-Santos-Álvarez, N. 271
Tunthana, C., see Suedee, R. 89
Turner, A., see Piletska, E. 179
Turner, A., see Piletsky, S. 123
Tuzen, M.
— and Soylak, M.
Column system using diaion HP-2MG for determination of some metal ions by flame atomic absorption spectrometry 325

Vanichapichat, P., see Suedee, R. 89
Vicente, B.S., see Navarro-Villoslada, F. 149
Visnjevski, A., see Brüggemann, O. 81

Whitcombe, M.J., see Kirsch, N. 63
Willner, I., see Pogorelova, S.P. 113
Willner, I., see Raitman, O.A. 101
Winefordner, J.D., see Chen, R. 199
Wong, D.K.Y., see Akram, M. 243
Wu, M.C., see Ou, S.H. 163

Xu, Q.S., see Zhang, M.H. 279

Zayats, M., see Raitman, O.A. 101
Zhang, K., see Liu, J. 185
Zhang, M.H.
—, Xu, Q.S. and Massart, D.L.
Averaged and weighted average partial least squares 279
Zonaras, V., see Panderi, I. 299